

# ZICO MESH CHAIR

ASSEMBLY INSTRUCTIONS-PLEASE KEEP FOR FUTURE REFERENCE



Important-please read these instructions fully before starting assembly

# Safety and Care Advice

**Important** – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the product during assembly, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- We do not recommend the use of power drill/drivers **for inserting screws**, as this could damage the unit. Only use hand screwdrivers.
- Dispose of all packaging carefully and responsibly.

## Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.

- Do not stand on the chair.
- Do not use this chair as step ladder.
- This product should not be discarded with household

waste. Take to your local authority waste disposal centre.

## Handy Hints


- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts.
- Regularly check and ensure that all bolts and fittings are tightened properly.

# Components - Parts


Please check you have all the parts listed below



**1** Backrest x1



**2** Seat x 1



**3** Left armrest x1 & Right armrest x 1



**4** Gas lift x 1



**5** Base x 1



**6** Castors x 5

# Components - Fittings

Please check you have all the fittings listed below.

**Note:** The quantities below are the correct amount to complete the assembly.  
In some cases more fittings may be supplied than are required.

<b>A</b>  20mm Bolts x 4	<b>B</b>  25mm Bolts x 6	<b>C</b>  Spring washers x 6
<b>D</b>  Allen Key(supplied)	<b>E</b>  Flat washers x 6	


# Assembly Instructions

## Step 1

### Fitting the base

Push all the five castors **6** into the underside of the base **5**.


Insert the gas lift **4** into the base **5**.



## Step 2

### Fitting the Armrests

Use Bolts **B** & Spring Washers **C** and Flat washers **E** to fix the armrest **3** onto the seat **2**.



# Assembly Instructions

## Step 3


### Fitting the Backrest

Use bolts **A** to fix the backrest

**1** onto the seat **2**.

### Tension

Torsion Adjustment Knob(allows you to adjust the tension of the tilt to suit user body weight).



## Step 4

Carefully locate the seat **2** onto the base unit.

